

Daisy's Nail Company LTD

MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Publishing date: 01.07.2015

Revision date: -

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: Daisy's Nail Company LTD BUILDER GEL

1.2. Relevant identified uses of the mixture and uses advised against:

cosmetic product, nail gel

1.3. Details of the supplier of the safety data sheet:

Daisy's Nail Company LTD

Unit 1, G3 Business Park, Dolphin Road,

Shoreham-By-Sea, BN436AN

+443337720965

1.4. Emergency telephone number:

Daisy's Nail Company Phone:00443337720965 (office hours)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

Skin Irrit. Category 2

Eye Irrit. Category 2

Specific target organ toxicity – Single exposure, Category 3

Skin Sens. 1

2.2. Label elements:

Pictogram



Signal Word: Wng

Hazard statements

H 315 Causes skin irritation.

H 319 Causes serious eye irritation.

H 335 May cause respiratory irritation.

H 317 May cause an allergic skin reaction.

H 302 Harmful if swallowed.

H 312 Harmful in contact with skin.

Daisy's Nail Company LTD

MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Publishing date: 01.07.2015

Revision date: -

- H 400** Very toxic to aquatic life.
H 314 Causes severe skin burns and eye damage.
H 226 Flammable liquid and vapour.
H 332 Harmful if inhaled.

Precautionary statements

- P 264** Wash your hands thoroughly after handling.
P 280 Wear protective gloves/protective clothing/eye protection/face protection.
P 305 + P 351 + P 338
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P 337 + P 313
If eye irritation persists: Get medical advice/attention.
P302 + P352
IF ON SKIN: Wash with plenty of soap and water.
P321 Specific treatment (see ... on this label).
P 332 + P 313
If skin irritation occurs: Get medical advice/attention.
P 362 Take off contaminated clothing and wash before reuse.
P 261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P 271 Use only outdoors or in a well-ventilated area.
P 304 + P 340
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P 312 Call a POISON CENTER or doctor/physician if you feel unwell.
P 403 + P 233
Store in a well-ventilated place. Keep container tightly closed.
P 405 Store locked up.
P 272 Contaminated work clothing should not be allowed out of the workplace.
P 333 + P 313
If skin irritation or rash occurs: Get medical advice/attention.
P 363 Wash contaminated clothing before reuse.
P 501 Dispose of contents/container to waste container.

2.3. Other hazards: -

MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Publishing date: 01.07.2015

Revision date: -

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS no.	EU no.	INCI name:	Classified accordance with regulation 1272/2008/EK (CLP)	%
Poliuretane Acrylate Oligomer	72869-86-4	-/ 276-957-5	Di-HEMA Dicarbamate	Skin Irrit. 2 Eye Irrit. 2 STOT SE 3	50-75
Isobornyl Methacrylate	7534-94-3		Isobornyl Methacrylate	Skin Irrit. 2 STOT SE 3	10-25
2-Hydroxyethyl Methacrylate	868-77-9	212-782-2	HEMA	Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 H317	5-10
2 - Hydroxypropyl Methacrylate	27813-02-1		Hydroxypropyl Methacrylate	Eye Irrit. 2 Skin Sens. 1 H317	5-10
Ethyl(2,4,6-trimethyl benzoyl) Phenylphosphinate			Ethyl Trimethylbenzoyl Phenylphosphinate	-	1-5
Acrylic Acid	79-10-7	201-177-9	Acrylic Acid	Flam. Liq. 3 H226 Acute Tox. 4 (*) H332 Acute Tox. 4 (*) H312 Acute Tox. 4 (*) H302 Skin Corr. 1A H314 Aquatic Acute 1 H400	0,1-1
Hydroxycyclohexyl Phenyl Ketone	947-19-3	213-426-9	Hydroxycyclohexyl Phenyl Ketone	Eye Irrit. 2	0,1-1
D&C violet #2	81-48-1	201-353-5	CI 60725	-	0-0,1

MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Publishing date: 01.07.2015

Revision date: -

4. FIRST AID MEASURES

General:

The injured person is removed from the endangered environment. The contaminated, soaked clothing should be removed immediately. Unconscious, injured or spastic condition. Never give anything by mouth.

Inhalation:

The affected person to fresh air and keep at rest in. Medical care in case of complaint to be considered.

Skin contact:

Contaminated clothing should be removed. Rinse with water, then soap and water to the skin. In case of complaint, seek medical advice.

Eye contact:

Eye contact, immediately rinse with plenty of water for at least 15 minutes while pulling the eyelids apart with your fingers. In case of complaint, seek medical advice.

Ingestion:

One or two glasses of water to drink. Do NOT induce vomiting! Medical care must be used!

5. FIREFIGHTING MEASURES

5.1. Extinguishing media: use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

5.2. Special hazards arising from the substance or mixture: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

5.3. Advice for fire fighters: full protective equipment, including self-contained breathing apparatus is recommended.

MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Publishing date: 01.07.2015

Revision date: -

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions: Unauthorized persons must be removed from the site. The skin, eyes and clothing, the drug inhalation, and ingestion should be avoided. See protective measures 7 and 8 points as well.

6.2. Environmental precautions: Spillage should be ensured that the product is not exposed to sewage, rivers, watercourses, groundwater and soil. Larger spill, the responsible authorities must be informed.

6.3. Methods and material for containment and cleaning up: Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.

7. HANDLING AND STORAGE

7.1. Handling: Avoid contact with skin and eyes. Avoid breathing vapour. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Most acrylic monomers have low viscosities, thus only needing room temperature conditions to facilitate proper pouring techniques. However, viscous type gels such as these may require heating to facilitate proper pouring techniques. To ensure that this happens, product may be heated to 60°C/140°F for not more than 24 hours. Do NOT use localized heat sources such as band heaters to heat/melt product. Do NOT use steam. Hot boxes or hot rooms are recommended for heating/melting material. The hot box and/or room should only be set to a maximum temperature of 60°C/140°F. Do not overheat, this may compromise product effectiveness and should be avoided. Refrain from multiple reheating of product, this will also diminishing the quality of the product.

7.2. Storage: Product is extremely light sensitive. If exposed to natural light or UV light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F/38°C but above the product's freezing point. If no freezing point is given, keep above 32°F/0°C at all times.

7.3. Specific end use(s): High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Although material is non-flammable please try to eliminate all ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer!